

# E-NV200

## PRISLISTA

E-NV200 PRISER 01.03.2021



Utrustningsnivå	Drivning	Motor	Max. effekt	Växellåda	kr.
Comfort	Van (LCV)	40 kWh		Automatic	426 431



<b>ENGINE</b>	<b>40 kWh</b>
Engine type	AC synchronous
Max. Power	80
Max. Torque	254
<b>TRANSMISSION</b>	<b>40 kWh</b>
Transmission	Vienos pakopos reduktorius
Drive	2WD
<b>BATTERY &amp; CHARGING</b>	<b>40 kWh</b>
Voltage, V	360
Capacity, kWh	40
Number of elements	192
On-board charger	6,6



## BATTERY & CHARGING

40 kWh

Rapid Battery Charger

50

Charging cable

EVSE 10 A Mode-3 32 A  
Type1

## FRAME

40 kWh

Suspension type, front

The MacPherson strut

Suspension type, rear

Leaf springs

Steering wheel

Electric Power Steering

Brakes

Electro-hydraulic drive

Wheel size (tire size)

6.0J×15" 185/65R15

Minimum turning circle (wall to wall)

11,13

Minimum turning circle (kerb to kerb)

10,6



## WEIGHT

40 kWh

Gross weight	2240/2220
Kerb weight min-max	1498 /1515
Maximum payload	742/705
Permissible axle weight (PAW) front	1180
Permissible axle weight (PAW) Rear	1200
Maximum trailer capacity unbraked	450/410
Maximum roof load	100

## DIMENSIONS

40 kWh

Length	4560
Width	2011
Height	1858
Wheelbase	2725



## DIMENSIONS

40 kWh

Track front	985
Track rear	850
Ground clearance	153,4
Overhang rear	850
Overhang front	985
Width without mirrors	1755

## PERFORMANCE

40 kWh

CO2 - Combined (WLTP)	0
Maximum speed (km/h)	123
Acceleration 0-100 km/h	14
Range - Combined (WLTP)	200
Range - City (WLTP)	301



## PERFORMANCE

40 kWh

Electricity consumption (WLTP)

259

## WARRANTY

40 kWh

New car warranty

5 aastat / 100 000 km

Anti-corrosion body perforation warranty

12 aastat

Color warranty

3 aastat

Nissan Assistance

5 aastat / 100 000 km

Warranty for electric drive parts

5 aastat / 100 000 km

Battery capacity guarantee

Nissan lithium-ion battery state of health guarantee protects against battery capacity loss (less than 9 bars out of 12) as shown on the in vehicle capacity gauge for a period of 8 years / 160,000 km.



Maximum length	2040
Maximum height	1358
Maximum width	1500
Width between the wheelarches	1220
Load platform height (unladen)	523,5
Slide door width	700
Slide door height	1171
Back door Width	1262
Back door height	1228
Cargo volume, m3	4,2

# E-NV200

## UTRUSTNINGSNIVÅER



### Färger

WHITE	QM1
-------	-----

### Inredning

Black fabric	K
--------------	---

- - Standard
- - Tillval
- ◐ - Halvstandard
- P - In pack only